	Application No.	Applicant(s)
A4 41	10/812,888	MURAMATSU, SHIGERU
Notice of Allowability	Examiner	Art Unit
	Jeffrey Donels	2837
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendment of 11/24/06</u> .		
2. The allowed claim(s) is/are <u>1-7,9 and 10</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
		•
Attach mont(s)		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal Pa	atent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. 🔲 Interview Summary ((PTO-413),
3. ☑ Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Date 7. ☐ Examiner's Amendm	
Paper No./Mail Date 20040331 4. Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Statemen	nt of Reasons for Allowance
of Biological Material	9. Other	

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance: claims 1-7 are considered allowable over the prior art as the prior art does not teach a supply section that supplies model operation information indicative of an operating state to be taken by said operator member, a reactive force information generation section that generates reactive force information corresponding to a difference between the operating state detected by said detection section and the operating state indicated by the model operation information, and a reactive force impartment section that imparts said operator member with a reactive force corresponding to the reactive force information generated by said reactive force information generation section.

Claims 9 and 10 are considered allowable over the prior art, as the prior art does not teach a supply section that supplies, for each of the axes, model operation information indicative of an operating state to be taken by said operator member, a reactive force information generation section that generates, for each of the axes, reactive force information corresponding to a difference between the operating state detected for the axis by one of said plurality of detection sections and the operating state indicated by the model operation information supplied for the axis; and a reactive force impartment section that imparts the individual axes with separate reactive forces on the basis of the reactive force information generated for the individual axes by said reactive force information generation section, wherein a plurality of control signals are provided on the basis of the detection signals outputted from individual ones of said detection sections.

Application/Control Number: 10/812,888

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeffrey Donels whose telephone number is 571-272-2061. The examiner can normally be reached on Monday through Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lincoln Donovan can be reached on 571-272-2800 ext 37. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Jeffrey Donels Primary Examiner Art Unit 2837